

## Intel® Processor Pricing

Effective May 9, 2007

1Ku Tray Units

Intel® Core™ 2 Extreme Quad-Core processor <sup>2</sup> Desktop (LGA 775)	Apr '07 (4/22) Price	May '07 (5/9) Price	% Decrease
QX6800 (8M L2 cache 2.93 GHz 1066 MHz FSB 65nm)	\$1,199	\$1,199	-
QX6700 (8M L2 cache 2.66 GHz 1066 MHz FSB 65nm)	\$999	\$999	-

Intel® Core™ 2 Extreme processor <sup>2</sup> Desktop (LGA 775)	Apr '07 (4/22) Price	May '07 (5/9) Price	% Decrease
X6800 (4M L2 cache 2.93 GHz 1066 MHz FSB 65nm)	\$999	\$999	-

Intel® Core™2 Quad Processor <sup>2</sup> Desktop (LGA 775)	Apr '07 (4/22) Price	May '07 (5/9) Price	% Decrease
Q6600 (8M L2 cache 2.40 GHz 1066 MHz FSB 65nm)	\$530	\$530	-

Intel® Core™ 2 Duo processor Desktop (LGA 775)	Apr '07 (4/22) Price	May '07 (5/9) Price	% Decrease
E6700 (4M L2 cache 2.66 GHz 1066 MHz FSB 65nm) <sup>2</sup>	\$316	\$316	-
E6600 (4M L2 cache 2.40 GHz 1066 MHz FSB 65nm) <sup>2</sup>	\$224	\$224	-
E6420 (4M L2 cache 2.13 GHz 1066 MHz FSB 65nm) <sup>2</sup>	\$183	\$183	-
E6400 (2M L2 cache 2.13 GHz 1066 MHz FSB 65nm) <sup>2</sup>	\$183	\$183	-
E6320 (4M L2 cache 1.86 GHz 1066 MHz FSB 65nm) <sup>2</sup>	\$163	\$163	-
E6300 (2M L2 cache 1.86 GHz 1066 MHz FSB 65nm) <sup>2</sup>	\$163	\$163	-
E4400 (2M L2 cache 2.00 GHz 800 MHz FSB 65nm)	\$133	\$133	-
E4300 (2M L2 cache 1.80 GHz 800 MHz FSB 65nm)	\$113	\$113	-

Intel® Pentium® D processor Desktop (LGA 775)	Apr '07 (4/22) Price	May '07 (5/9) Price	% Decrease
945 (4M L2 cache 3.40 GHz 800 MHz FSB 65nm)	\$163	\$163	-
935 (4M L2 cache 3.20 GHz 800 MHz FSB 65nm)	\$84	\$84	-
925 (4M L2 cache 3.00 GHz 800 MHz FSB 65nm)	\$74	\$74	-
915 (4M L2 cache 2.80 GHz 800 MHz FSB 65nm)	\$74	\$74	-
820 (2M L2 cache 2.80 GHz 800 MHz FSB 90nm)	\$74	\$74	-

Intel® Pentium® 4 processor supporting Hyper-Threading Technology Desktop (LGA 775)	Apr '07 (4/22) Price	May '07 (5/9) Price	% Decrease
661 (2M L2 cache 3.60 GHz 800 MHz FSB 65nm)	\$163	\$163	-
651 (2M L2 cache 3.40 GHz 800 MHz FSB 65nm)	\$74	\$74	-
641 (2M L2 cache 3.20 GHz 800 MHz FSB 65nm)	\$69	\$69	-
631 (2M L2 cache 3.00 GHz 800 MHz FSB 65nm)	\$69	\$69	-

Intel® Celeron® D processor Desktop (LGA 775)	Apr '07 (4/22) Price	May '07 (5/9) Price	% Decrease
365 (512k L2 cache 3.60 GHz 533 MHz FSB 65nm)	\$69	\$69	-
360 (512k L2 cache 3.46 GHz 533 MHz FSB 65nm)	\$59	\$59	-
356 (512k L2 cache 3.33 GHz 533 MHz FSB 65nm)	\$54	\$54	-
352 (512k L2 cache 3.20 GHz 533 MHz FSB 65nm)	\$49	\$49	-
347 (512k L2 cache 3.06 GHz 533 MHz FSB 65nm)	\$44	\$44	-
336 (256k L2 cache 2.80 GHz 533 MHz FSB 90nm)	\$34	\$34	-
331 (256k L2 cache 2.66 GHz 533 MHz FSB 90nm)	\$34	\$34	-

Intel® Core™ 2 Duo Processor <sup>2</sup> Mobile (FCBGA6 / FCPGA6)	Apr '07 (4/22) Price	May '07 (5/9) Price	% Decrease
T7700 (4M L2 cache 2.40 GHz 800 MHz FSB 65nm)		\$530	-
T7500 (4M L2 cache 2.20 GHz 800 MHz FSB 65nm)		\$316	-
T7300 (4M L2 cache 2.00 GHz 800 MHz FSB 65nm)		\$241	-
T7100 (2M L2 cache 1.80 GHz 800 MHz FSB 65nm)		\$209	-
T7600 (4M L2 cache 2.33 GHz 667 MHz FSB 65nm)	\$637	\$637	-
T7400 (4M L2 cache 2.16 GHz 667 MHz FSB 65nm)	\$423	\$423	-
T7200 (4M L2 cache 2.00 GHz 667 MHz FSB 65nm)	\$294	\$294	-
T5600 (2M L2 cache 1.83 GHz 667 MHz FSB 65nm)	\$241	\$241	-
T5500 (2M L2 cache 1.66 GHz 667 MHz FSB 65nm)	\$209	\$209	-

Intel® Core™ Duo Processor	Apr '07 (4/22)	May '07 (5/9)	% Decrease
----------------------------	----------------	---------------	------------

Intel processor numbers are not a measure of performance. Processor numbers differentiate features within each processor family, not across different processor families. See [http://www.intel.com/products/processor\\_number](http://www.intel.com/products/processor_number) for details

<b>Mobile (FCBGA6 / FCPGA6)</b>	<b>Price</b>	<b>Price</b>	
T2700 (2M L2 cache 2.33 GHz 667 MHz FSB 65nm) <sup>2</sup>	\$637	\$637	-
T2600 (2M L2 cache 2.16 GHz 667 MHz FSB 65nm) <sup>2</sup>	\$423	\$423	-
T2500 (2M L2 cache 2.00 GHz 667 MHz FSB 65nm) <sup>2</sup>	\$294	\$294	-
T2400 (2M L2 cache 1.83 GHz 667 MHz FSB 65nm) <sup>2</sup>	\$241	\$241	-
T2300 (2M L2 cache 1.66 GHz 667 MHz FSB 65nm) <sup>2</sup>	\$241	\$241	-
T2300E (2M L2 cache 1.66 GHz 667 MHz FSB 65nm)	\$209	\$209	-

<b>LV/ULV Intel® Core™ 2 Duo Processor<sup>2</sup></b> <b>Mobile (FCBGA6)</b>	<b>Apr '07 (4/22)</b> <b>Price</b>	<b>May '07 (5/9)</b> <b>Price</b>	<b>% Decrease</b>
L7500 (4M L2 cache 1.60 GHz 800 MHz FSB 65nm)	-	\$316	-
L7300 (4M L2 cache 1.40 GHz 800 MHz FSB 65nm)	-	\$284	-
L7400 (4M L2 cache 1.50 GHz 667 MHz FSB 65nm)	\$316	\$316	-
L7200 (4M L2 cache 1.33 GHz 667 MHz FSB 65nm)	\$284	\$284	-
U7600 (2M L2 cache 1.20 GHz 533 MHz FSB 65nm)	\$289	\$289	-
U7500 (2M L2 cache 1.06 GHz 533 MHz FSB 65nm)	\$262	\$262	-

<b>LV/ULV Intel® Core™ Duo Processor<sup>2</sup></b> <b>Mobile (FCBGA6)</b>	<b>Apr '07 (4/22)</b> <b>Price</b>	<b>May '07 (5/9)</b> <b>Price</b>	<b>% Decrease</b>
U2500 (2M L2 cache 1.20 GHz 533 MHz FSB 65nm)	\$289	\$289	-
U2400 (2M L2 cache 1.06 GHz 533 MHz FSB 65nm)	\$262	\$262	-

<b>ULV Intel® Core™ Solo Processor<sup>2</sup></b> <b>Mobile (FCBGA6)</b>	<b>Apr '07 (4/22)</b> <b>Price</b>	<b>May '07 (5/9)</b> <b>Price</b>	<b>% Decrease</b>
U1500 (2M L2 cache 1.33 GHz 533 MHz FSB 65nm)	\$262	\$262	-
U1400 (2M L2 cache 1.20 GHz 533 MHz FSB 65nm)	\$241	\$241	-

<b>Intel® Celeron® M processor</b> <b>Mobile (uFCBGA / uFCPGA)</b>	<b>Apr '07 (4/22)</b> <b>Price</b>	<b>May '07 (5/9)</b> <b>Price</b>	<b>% Decrease</b>
530 (1M L2 cache 1.73 GHz 533 MHz FSB 65nm)	\$134	\$134	-
520 (1M L2 cache 1.60 GHz 533 MHz FSB 65nm)	\$107	\$107	-
450 (1M L2 cache 2.00 GHz 533 MHz FSB 65nm)	\$134	\$134	-
440 (1M L2 cache 1.86 GHz 533 MHz FSB 65nm)	\$86	\$86	-
430 (1M L2 cache 1.73 GHz 533 MHz FSB 65nm)	\$86	\$86	-

<b>ULV Intel® Celeron® M processor</b> <b>Mobile (uFCBGA)</b>	<b>Apr '07 (4/22)</b> <b>Price</b>	<b>May '07 (5/9)</b> <b>Price</b>	<b>% Decrease</b>
443 (1M L2 cache 1.20 GHz uLV 533 MHz FSB 65nm)	\$161	\$161	-

<b>Intel® Itanium® 2 processor</b> <b>Server/Workstation (PAC-611)</b>	<b>Apr '07 (4/22)</b> <b>Price</b>	<b>May '07 (5/9)</b> <b>Price</b>	<b>% Decrease</b>
9050 (24M L3 cache 1.60 GHz (104W) 400/533 MHz FSB 90nm) <sup>2</sup>	\$3,692	\$3,692	-
9040 (18M L3 cache 1.60 GHz (104W) 400/533 MHz FSB 90nm) <sup>2</sup>	\$1,980	\$1,980	-
9030 (8M L3 cache 1.60 GHz (104W) 400/533 MHz FSB 90nm) <sup>2</sup>	\$1,552	\$1,552	-
9020 (12M L3 cache 1.42 GHz (104W) 400/533 MHz FSB 90nm) <sup>2</sup>	\$910	\$910	-
9015 (12M L3 cache 1.40 GHz (104W) 400 MHz FSB 90nm) <sup>2</sup>	\$749	\$749	-
9010 (6M L3 cache 1.60 GHz (75W) 400/533 MHz FSB 90nm) <sup>2</sup>	\$696	\$696	-
1.66 GHz w/ 9M cache 667 MHz FSB (.13)	\$4,227	\$4,227	-
1.60 GHz w/ 9M cache 533 MHz FSB (.13)	\$4,227	\$4,227	-
1.66 GHz w/ 6M cache 667 MHz FSB (.13)	\$1,980	\$1,980	-
1.60 GHz w/ 9M cache 400 MHz FSB (.13)	\$4,227	\$4,227	-
1.60 GHz w/ 6M cache 533 MHz FSB (.13)	\$1,980	\$1,980	-
1.60 GHz w/ 6M cache 400 MHz FSB (.13)	\$1,980	\$1,980	-
1.50 GHz w/ 6M cache 400 MHz FSB (.13)	\$4,227	\$4,227	-
1.50 GHz w/ 4M cache 400 MHz FSB (.13)	\$910	\$910	-
1.40 GHz w/ 4M cache 400 MHz FSB (.13)	\$1,980	\$1,980	-
1.30 GHz w/ 3M cache 400 MHz FSB (.13)	\$910	\$910	-
1.60 GHz w/ 3M cache 533 MHz FSB (.13)	\$530	\$530	-
1.60 GHz w/ 3M cache 400 MHz FSB (.13)	\$530	\$530	-
1.40 GHz w/ 3M cache 400 MHz FSB (.13)	\$851	\$851	-
1.40 GHz w/ 1.5M cache 400 MHz FSB (.13)	\$851	\$851	-
1.30 GHz w/ 3M cache 400 MHz FSB (.13)	\$530	\$530	-
1.00 GHz w/ 1.5M cache 400 MHz FSB (.13)	\$530	\$530	-

<b>Intel® Xeon® processor MP</b> <b>Server/Workstation (INT3)</b>	<b>Apr '07 (4/22)</b> <b>Price</b>	<b>May '07 (5/9)</b> <b>Price</b>	<b>% Decrease</b>
7150N (16M L3 cache 3.50 GHz (150W) 667 MHz FSB 65nm) <sup>2</sup>	\$2,622	\$2,622	-

Intel processor numbers are not a measure of performance. Processor numbers differentiate features within each processor family, not across different processor families. See [http://www.intel.com/products/processor\\_number](http://www.intel.com/products/processor_number) for details

7140M (16M L3 cache 3.40 GHz (150W) 800 MHz FSB 65nm) <sup>2</sup>	\$1,980	\$1,980	-
7140N (16M L3 cache 3.33 GHz (150W) 667 MHz FSB 65nm) <sup>2</sup>	\$1,980	\$1,980	-
7130M (8M L3 cache 3.20 GHz (150W) 800 MHz FSB 65nm) <sup>2</sup>	\$1,391	\$1,391	-
7130N (8M L3 cache 3.16 GHz (150W) 667 MHz FSB 65nm) <sup>2</sup>	\$1,391	\$1,391	-
7120M (4M L3 cache 3.00 GHz (95W) 800 MHz FSB 65nm) <sup>2</sup>	\$1,177	\$1,177	-
7120N (4M L3 cache 3.00 GHz (95W) 667 MHz FSB 65nm) <sup>2</sup>	\$1,177	\$1,177	-
7110M (4M L3 cache 2.60 GHz (95W) 800 MHz FSB 65nm) <sup>2</sup>	\$856	\$856	-
7110N (4M L3 cache 2.50 GHz (95W) 667 MHz FSB 65nm) <sup>2</sup>	\$856	\$856	-
7041 (2x2M L2 cache 3.00 GHz 800 MHz FSB 90nm) <sup>2</sup>	\$3,157	\$3,157	-
7040 (2x2M L2 cache 3.00 GHz 667 MHz FSB 90nm) <sup>2</sup>	\$3,157	\$3,157	-
7030 (2x1M L2 cache 2.80 GHz 800 MHz FSB 90nm) <sup>2</sup>	\$1,980	\$1,980	-
7020 (2x1M L2 cache 2.66 GHz 667 MHz FSB 90nm) <sup>2</sup>	\$1,177	\$1,177	-
3.33 GHz w/ 8M iL3 cache 667 MHz FSB (90nm)	\$3,692	\$3,692	-
3.00 GHz w/ 8M iL3 cache 667 MHz FSB (90nm)	\$1,980	\$1,980	-
2.83 GHz w/ 4M iL3 cache 667 MHz FSB (90nm)	\$1,177	\$1,177	-
3.66 GHz w/ 1M iL2 cache 667 MHz FSB (90nm)	\$963	\$963	-
3.16 GHz w/ 1M iL2 cache 667 MHz FSB (90nm)	\$722	\$722	-

Intel® Xeon® processor <sup>2</sup> Server/Workstation (FC-LGA6)	Apr '07 (4/22) Price	May '07 (5/9) Price	% Decrease
X5355 (8M L2 cache 2.66 GHz (120W) 1333 MHz FSB 65nm)	\$1,172	\$1,172	-
E5345 (8M L2 cache 2.33 GHz (80W) 1333 MHz FSB 65nm)	\$851	\$851	-
E5335 (8M L2 cache 2.00 GHz (80W) 1333 MHz FSB 65nm)	\$690	\$690	-
E5320 (8M L2 cache 1.86 GHz (80W) 1066 MHz FSB 65nm)	\$455	\$455	-
E5310 (8M L2 cache 1.60 GHz (80W) 1066 MHz FSB 65nm)	\$316	\$316	-
L5320 (8M L2 cache 1.86 GHz (50W) 1066 MHz FSB 65nm)	\$519	\$519	-
L5310 (8M L2 cache 1.60 GHz (50W) 1066 MHz FSB 65nm)	\$455	\$455	-
5160 (4M L2 cache 3.00 GHz (80W) 1333 MHz FSB 65nm)	\$851	\$851	-
5150 (4M L2 cache 2.66 GHz (65W) 1333 MHz FSB 65nm)	\$690	\$690	-
5140 (4M L2 cache 2.33 GHz (65W) 1333 MHz FSB 65nm)	\$455	\$455	-
5130 (4M L2 cache 2.00 GHz (65W) 1333 MHz FSB 65nm)	\$316	\$316	-
5120 (4M L2 cache 1.86 GHz (65W) 1066 MHz FSB 65nm)	\$256	\$256	-
5110 (4M L2 cache 1.60 GHz (65W) 1066 MHz FSB 65nm)	\$209	\$209	-
5148 (4M L2 cache 2.33 GHz (40W) 1333 MHz FSB 65nm)	\$519	\$519	-
5080 (2x2M L2 cache 3.73 GHz (130W) 1066 MHz FSB 65nm)	\$851	\$851	-
5063 (2x2M L2 cache 3.20 GHz (95W) 1066 MHz FSB 65nm)	\$369	\$369	-
5060 (2x2M L2 cache 3.20 GHz (130W) 1066 MHz FSB 65nm)	\$316	\$316	-
5050 (2x2M L2 cache 3.00 GHz (95W) 667 MHz FSB 65nm)	\$177	\$177	-

Intel® Xeon® processor Server/Workstation (mPGA4 / MPGA)	Apr '07 (4/22) Price	May '07 (5/9) Price	% Decrease
2.00 GHz (31W) w/ 2M cache 667 MHz FSB (65nm)	\$423	\$423	-
1.66 GHz (31W) w/ 2M cache 667 MHz FSB (65nm)	\$209	\$209	-
2.80 GHz w/ 2x2M cache 800 MHz FSB (90nm)	\$1,043	\$1,043	-
3.80 GHz w/ 2M cache 800 MHz FSB (90nm)	\$851	\$851	-
3.60E GHz w/ 2M cache 800 MHz FSB (90nm)	\$690	\$690	-
3.40E GHz w/ 2M cache 800 MHz FSB (90nm)	\$455	\$455	-
3.20E GHz w/ 2M cache 800 MHz FSB (90nm)	\$316	\$316	-
3.00E GHz w/ 2M cache 800 MHz FSB (90nm)	\$247	\$247	-
2.80E GHz w/ 2M cache 800 MHz FSB (90nm)	\$193	\$193	-
3.20 GHz w/ 2M cache 800 MHz FSB (90nm) Mid Voltage	\$487	\$487	-
3.00 GHz w/ 2M cache 800 MHz FSB (90nm) Low Voltage	\$519	\$519	-

Intel® Xeon® processor <sup>2</sup> Server UP (LGA775)	Apr '07 (4/22) Price	May '07 (5/9) Price	% Decrease
X3220 (8M L2 cache 2.40 GHz (105W) 1066 MHz FSB 65nm)	\$530	\$530	-
X3210 (8M L2 cache 2.13 GHz (105W) 1066 MHz FSB 65nm)	\$423	\$423	-
3070 (4M L2 cache 2.66 GHz (65W) 1066 MHz FSB 65nm)	\$316	\$316	-
3060 (4M L2 cache 2.40 GHz (65W) 1066 MHz FSB 65nm)	\$224	\$224	-
3050 (2M L2 cache 2.13 GHz (65W) 1066 MHz FSB 65nm)	\$188	\$188	-
3040 (2M L2 cache 1.86 GHz (65W) 1066 MHz FSB 65nm)	\$167	\$167	-

<sup>2</sup> Processor supporting Intel® Virtualization Technology

Note: Prices subject to change without notice. Prices are for direct Intel customers in 1000-unit tray quantities and, unless specified, represent the latest technology versions of the products. Taxes and shipping, etc. not included. Prices may vary for other package types and shipment quantities, and special promotional arrangements may apply.

Intel processor numbers are not a measure of performance. Processor numbers differentiate features within each processor family, not across different processor families. See [http://www.intel.com/products/processor\\_number](http://www.intel.com/products/processor_number) for details.

Intel processor numbers are not a measure of performance. Processor numbers differentiate features within each processor family, not across different processor families. See [http://www.intel.com/products/processor\\_number](http://www.intel.com/products/processor_number) for details